

CONTENTS

Volume 1

Part 1:

| | |
|------------------------------|------|
| The Presidents of the CIE | III |
| Objectives of the CIE | IV |
| CIE-Slovenia Organizing Team | VI |
| Board of Administration | VII |
| Divisions | VIII |
| Current CIE Publications | XIV |
| Session Programme | XXI |
| Contents / List of Papers | XXXV |
| Presented Papers | 1 |
| Presented Posters | 654 |

Part 2:

| | |
|---------------------------|-----|
| Contents / List of Papers | III |
| Posters | 813 |

The following table provides an overview of the submitted full papers of the oral presentations, presented posters and posters presented at the conference. The papers are published in the proceedings in consecutive order of presentation.

CIE 2023 conference papers were accepted on the basis of double-blind abstract review. The Proceedings papers are published as supplied by the authors.

| Invited Presentation | | | |
|-----------------------------|--------------------------------|---|-----------------|
| Paper No. | Author(s) | Title of paper | Page No. |
| IP01 | Boyce, P. R., Cuttle, C. | THE FUTURE OF LIGHTING STANDARDS (AND HOW TO GET THERE) | 3 |

PAPERS PART 1

| Oral Presentations | | | |
|--|-------------------------------|---|-----------------|
| PA1-1 D2 - Spectroradiometry and photometry | | | |
| Paper No. | Author(s) | Title of paper | Page No. |
| OP40 | Bouroussis, C. et al. | RECONSTRUCTION OF CAMERA SPECTRAL RESPONSIVITY USING MULTIPLE NARROW-BAND LED RADIANCE SOURCES | 10 |
| OP61 | Krüger, U. et al. | SENSITIVITY EVALUATION OF MEASUREMENT UNCERTAINTY CONTRIBUTIONS OF SPECTRAL DATA FOR CALCULATED INTEGRAL QUANTITIES | 20 |
| OP77 | Schrader, C., Ledig, J. | SPECTRAL DEPENDENT NON-LINEARITY OF CHARGE ACCUMULATING PIXEL MATRIX SENSORS | 34 |
| OP35 | Shitomi, H. | METROLOGICAL IMPACT OF INTRODUCING CONE FUNDAMENTAL-BASED PHOTOMETRY AS THE BASIS TO DERIVE PHOTOMETRIC UNITS | 45 |
| PA1-2 D3 - Office lighting | | | |
| OP57 | Karlsson, B. et al. | EMOTIONS ASSOCIATED WITH OFFICE ILLUMINATION AND A PROCESS TO IMPROVE THEM | 53 |
| OP74 | Raue, A., te Kulve, M. | BIODYNAMIC LIGHTING IN PRACTICE: PILOT STUDY IN A GOVERNMENT OFFICE | 63 |
| OP81 | Veitch, J. et al. | OFFICE LIGHTING FOR LIGHT-SENSITIVE INDIVIDUALS: A PILOT TEST | 71 |
| PA1-3 D4/D3 - Road safety | | | |
| OP6 | Moadab, N. et al. | IMPROVING THE DETECTION OF PEDESTRIANS AFTER DARK | 82 |
| OP66 | Mentens, A. et al. | IMPACT OF COLOUR TEMPERATURE AND ILLUMINATION LEVEL ON SAFETY PERCEPTION FOR PARKING GARAGE LIGHTING | 90 |
| OP36 | Uttley, J. et al. | CYCLIST FATALITIES INCREASE ON UNLIT ROADS | 97 |
| OP5 | Fotios, S., Uttley, J. | CYCLISTS ARE INCORRECTLY REPRESENTED IN LIGHTING DESIGN STANDARDS | 107 |
| PA2-1 D4/D1 - Road lighting measurement | | | |
| OP8 | Greffier, F. et al. | Qd VS Q0 FOR SCALING OF STANDARD R-TABLES IN ROAD LIGHTING DESIGN: THE QUESTION IS WORTH ASKING | 115 |
| OP30 | Lebouc, L. et al. | EXPLORATORY STUDY TO DEFINE NEW OBSERVATION GEOMETRIES FOR ROAD LIGHTING DESIGN | 126 |

| | | | |
|--|-----------------------------|--|-----|
| OP69 | Nilsson Tengelin, M. et al. | A NOVEL METHOD FOR FIELD MEASUREMENTS OF LIGHT DISTRIBUTION OF MODERN VEHICLE HEADLAMPS | 137 |
| OP68 | Muzet, V. et al. | ON SITE PHOTOMETRIC CHARACTERIZATION OF WET PAVEMENTS | 146 |
| OP76 | Schier, K. et al. | TOWARDS A GENERALIZED MODEL FOR THE DETECTION OF NON-UNIFORMITIES IN LUMINANCE DISTRIBUTIONS | 156 |
| PA3-1 D3 - Sustainability 1 and resiliency | | | |
| OP23 | Akizuki, Y. et al. | STUDY ON LIGHTING PLANNING FOR ACTIVE EVACUATION GUIDANCE DESIGN | 166 |
| OP86 | Yamaguchi, H. et al. | EVALUATION OF LIGHTING ENVIRONMENT IN A GYMNASIUM FOR VARIOUS ACTIVITIES DURING USE OF AN EVACUATION CENTER | 176 |
| OP37 | Weninger, J., Hammes, S. | POST-OCCUPANCY DERIVED USER PROFILES FOR IMPROVED ENERGETIC AND LIGHT DOSE RELATED BUILDING SIMULATION | 184 |
| PA3-2D3/D6 - Integrative lighting 1 | | | |
| OP52 | Hartmeyer, S. et al. | INSIGHTS INTO SPECTRALLY RESOLVED LIGHT-DOSIMETRY DATA | 196 |
| OP16 | Giovannini, L. et al. | INTEGRATIVE LIGHTING IN OFFICES: RESULTS FROM FIELD MEASUREMENTS AND ANNUAL DAYLIGHT SIMULATIONS | 207 |
| PA3-3 D1/D3 - Augmented and virtual reality | | | |
| OP63 | Lee, C., Ou, L.-C. | CHARACTERISING HEAD-MOUNTED DISPLAYS BASED ON VISUAL ASSESSMENT | 217 |
| OP67 | Miyake, H. et al. | RELIABILITY OF SPACIOUSNESS AND BRIGHTNESS EVALUATION IN ROOMS WITH WINDOWS USING HEAD-MOUNTED DISPLAY VIRTUAL REALITY | 222 |
| OP13 | Mou, X., Mou, T. | THE EFFECTS OF AMBIENT LIGHTING IN THE USAGE OF AUGMENTED REALITY | 231 |
| PA4-1 D3//D1/D6 - Integrative lighting 2 | | | |
| OP4 | Daneels, R. et al. | A CONTINUOUS RATING EXPERIMENT TO TEST THE FEASIBILITY OF WORKING WITH HIGH-LUMINANCE MONITORS TO INCREASE LIGHT AT EYE LEVEL | 238 |
| OP17 | Price, L., Schlagen, L. | LIGHTING HYGIENE, MELANOPIC DAYLIGHT EFFICACY RATIOS AND ENERGY EFFICIENCY | 243 |
| OP75 | Rolf, H. et al. | EFFECTS OF LIGHT ON ATTENTION OF DAYTIME WORKERS: A LABORATORY STUDY | 252 |
| OP42 | Karmann, C. et al. | VARIATION IN PHOTOPIC AND MELANOPIC LIGHTING IN SWISS OFFICES: A FIELD STUDY | 260 |
| PA4-2 D4 - Sustainability 2 | | | |
| OP22 | Villa, C. et al. | 4-MONTH FOLLOW-UP OF THE PERFORMANCE OF LUMINESCENT ROAD MARKINGS | 270 |
| OP34 | Angrisani, L. et al. | A FIRST STEP IN PERFORMANCE ASSESSMENT OF A GRAZING LIGHTING SYSTEM FOR MOTORWAYS: A PRACTICAL CASE STUDY CONSIDERING FOG AS THE MAIN INFLUENCE QUANTITY | 280 |
| OP44 | De Causmaecker, L. et al. | TOWARDS PUBLIC LED LIGHTING WITH MINIMAL IMPACT ON INSECT MOVEMENT | 291 |
| OP70 | Novak, T. et al. | BILLBOARD LIGHTING SYSTEMS MODELING FROM THE POINT OF VIEW OF ITS RADIATION INTO UPPER HEMISPHERE | 301 |

| PA4-3 D1/D2 - Optical properties of materials | | | |
|---|---|--|-----|
| OP31 | Santandreu Oliver, M., Leloup, F. B. | SOFT METROLOGY OF TRANSMISSION HAZE: AN EXPLORATORY STUDY | 311 |
| OP28 | Ged, G. et al. | EFFECT OF SURFACE CURVATURE ON SPECULAR GLOSS EVALUATIONS | 321 |
| PA5-1 D2/D1 - Temporal light modulation | | | |
| OP12 | Martinsons, C. | UNTANGLING LIGHT IN "NOISY" LUMINOUS ENVIRONMENTS | 331 |
| OP80 | Stein, A. et al. | SYSTEMATIC ERRORS OF TEMPORAL LIGHT MODULATION METRICS RELATED TO SAMPLING DURATION | 341 |
| OP60 | Kong, X. et al. | DEPENDENCE OF TEMPORAL FREQUENCY AND CHROMATICITY ON THE VISIBILITY OF THE PHANTOM ARRAY EFFECT | 347 |
| PA5-2 D3 - Daylight | | | |
| OP1 | Acosta, I. et al. | CONTINUOUS OVERCAST DAYLIGHT AUTONOMY: A NEW SENSOR-LESS ALGORITHM FOR LIGHTING SMART CONTROLS | 357 |
| OP26 | Balakrishnan, P. et al. | SKYSPECTRA: AN OPENSOURCE DATA PACKAGE OF WORLDWIDE SPECTRAL DAYLIGHT | 367 |
| OP73 | Pinheiro, A., Amorim, C. | DAYLIGHT REQUIREMENTS: AN OVERVIEW OF DEFINITIONS, PROGRESS AND GAPS | 380 |
| OP15 | Orman, A. et al. | IMPLEMENTATION OF A RECONSTRUCTED SPECTRAL SKY DEFINITION IN A LIGHT SIMULATION TOOL AND COMPARISON TO MEASUREMENTS | 391 |
| OP59 | Kim, D. H. et al. | PERFORMANCE INVESTIGATION OF CAMERAS USING HDR SENSORS FOR DAYLIGHT GLARE EVALUATIONS | 402 |
| PA6-1 D3/D4 - Energy efficiency | | | |
| OP45 | Einola, K. A., Juslén, H. | A MODEL FOR DETECTING DAYLIGHT PROVISION TO SAVE ENERGY AND TO COMPLY WITH THE EN-12464-1 STANDARD | 412 |
| OP58 | Kaymaz, E., Manav, B. | ANALYSIS OF LIGHTING ENERGY CONSUMPTION THROUGH COST-OPTIMAL INVESTMENTS FOR RESIDENCES: A CASE STUDY IN TURKEY | 422 |
| OP71 | Onaygil, S. et al. | ENERGY SAVINGS FOR ADAPTIVE LED CONVERSION IN EXISTING ROAD LIGHTING INSTALLATIONS | 433 |
| PA6-2 D4/D6/D8/D1 - Metrology challenges and opportunities | | | |
| OP29 | Iacomussi, P. et al. | IS IT TIME FOR A NON-BIOLOGICAL REFERENCE OBSERVER? | 443 |
| OP39 | Bergen, T., Lynn, M. | THE NEED FOR STANDARDISATION IN THE MANUFACTURE, CALIBRATION AND USE OF BILIRUBIN RADIOMETERS | 453 |
| OP72 | Or, K. H. | Li-Fi DATA TRANSMISSION PERSPECTIVE IN HUMAN ARTIFICIAL VISION IN BLIND PATIENTS. | 463 |
| PA7-1 D2/D6 - Integrative lighting 3 | | | |
| OP82 | Wang, T. et al. | EFFECTS OF FULL-DAY DYNAMIC LIGHTING PATTERNS ON HORMONE CONCENTRATION, CORE BODY TEMPERATURE AND SUBJECTIVE ALERTNESS AT BEDTIME IN CONFINED SPACES | 466 |
| OP83 | Yanni, W. et al. | EFFECTS OF ZERO BLUE LIGHTING ON SLEEP, MOOD AND SUBJECTIVE ALERTNESS OF OCCUPANTS IN ANTARCTIC | 478 |

| PA7-2 D1 - Colour | | | |
|--|-------------------------------|--|-----|
| OP64 | Li, J., Ohno, Y. | CHARACTERISING CIECAM02 PREDICTIONS OF PERCEIVED COLOURFULNESS AND HUE CHANGES AT DIFFERENT LIGHT LEVELS DUE TO HUNT EFFECT | 486 |
| OP32 | Ohno, Y., Li J. | A COLOUR FIDELITY MODEL BASED ON HUNT EFFECT | 496 |
| OP48 | Wang, L. et al. | TESTING COLOUR-DIFFERENCE FORMULAS FROM LMS COLOUR SPACES INSPIRED IN CIELAB | 506 |
| OP54 | Iwata, T. | METRICS INDICATING PROPERTIES OF LIGHT COLOUR AND SUBJECTIVE EVALUATION OF COLOUR APPEARANCE | 512 |
| OP65 | Lu, Y. et al. | A NEW DATABASE OF HUMAN SKIN COLOUR | 520 |
| PA8-1 D1/D3/D2 - Glare and discomfort | | | |
| OP56 | Jain, S. et al. | IS THERE AN EFFECT OF MACULAR PIGMENT DENSITY ON DISCOMFORT GLARE IN INDOOR DAYLIGHT CONDITIONS? | 530 |
| OP18 | Quek, G. et al. | INVESTIGATING MULTIPLE GLARE SOURCES IN DAYLIT CONDITIONS | 541 |
| OP46 | Ekim, Z. et al. | PERCEPTION OF GLARE IN RELATION TO THE CIE SCALE ON UNIFIED GLARE RATING (UGR) AND THE IMPACT OF AMBIENT LIGHT ON BOTH UGR AND SUBJECTIVE GLARE INDEX SCALES (SGI) | 552 |
| OP51 | Hara, N., Takase, K. | VISUAL CHARACTERISTICS IN THE DISCOMFORT GLARE EVALUATION MODEL IN ACCORDANCE WITH THE VISUAL SYSTEM | 563 |
| OP88 | Fotios, S. | DISCOMFORT FROM GLARE: WHY WE NEED A CIE TECHNICAL COMMITTEE TO REPORT ON BEST PRACTISE FOR COMMONLY USED METHODS AND TO PROPOSE NEW METHODS | 569 |
| PA8-2 D1/D3 - Indoor lighting | | | |
| OP50 | Hao, X. et al. | A STUDY OF THE PSYCHOLOGICAL GAIN OF ARTIFICIAL VIEW WINDOWS IN A WINDOWLESS SPACE | 575 |
| OP27 | Bernecker, C. | 50 YEARS LATER: EXTENDING THE WORK OF JOHN FLYNN AND CIE STUDY GROUP A | 585 |
| OP43 | Cui, S., Zhang, X. | PHOTOMETRIC, PSYCHOLOGICAL AND NEUROPHYSIOLOGICAL ASPECTS OF DIFFERENCES SEATING LOCATIONS IN SELF-STUDY ROOM | 595 |
| OP9 | Houser, K. | A CORE LIGHTING CURRICULUM FOR UNIVERSITY STUDENTS | 605 |
| PA8-3 D4 - Outdoor integrative lighting | | | |
| OP7 | Mao, Y. et al. | DO FEMALE PEDESTRIANS EXPRESS A LOWER DEGREE OF REASSURANCE THAN MALE PEDESTRIANS? AND DOES ROAD LIGHTING HELP? | 616 |
| OP47 | Alshdaifat, A., Fotios, S. | ROAD LIGHTING AND ROAD USER ALERTNESS AT NIGHTTIME: TESTING THE NULL FINDINGS OF GIBBONS AND BHAGAVATHULA | 624 |
| OP78 | Schwarcz, P. | CALCULATION METHOD AND EVALUATION OF POSSIBLE EFFECT ON CIRCADIAN SYSTEM OF DIVERS UNDER TYPICAL STREETLIGHTING CONDITIONS | 631 |
| OP87 | Zeng, X. X. et al. | EXPLORING THE RESTORATIVE POTENTIAL OF DAYTIME AND NIGHTTIME SCENERY IN CAMPUS SPACE: PHYSIOLOGICAL, PSYCHOLOGICAL AND BEHAVIOURAL ANALYSIS | 637 |

| Presented Posters | | | |
|--|------------------------------|--|-----------------|
| PS1 Presented Posters (D1/D3/D6/D8) | | | |
| Paper No. | Author(s) | Title of paper | Page No. |
| PP9 | He, R. et al. | VISUAL COLOUR-DIFFERENCE ASSESSMENT OF 3D PRINTED SAMPLES | 654 |
| PP11 | Hellwig, L. et al. | IMPROVEMENTS TO CIECAM16 AND FUTURE DIRECTIONS | 659 |
| PP16 | Mucklejohn, S. et al. | QUANTIFYING THE POTENTIAL IMPACT OF MAINTENANCE FACTORS ON LIGHTING UNIFORMITY IN HORTICULTURAL INSTALLATIONS | 669 |
| PP23 | Chen, S. et al. | EVALUATION OF THE COLOUR HARMONY OF ARTIFICIAL LIGHT AT NIGHT IN URBAN COMMERCIAL DISTRICT UTILIZING HYPERSPECTRAL IMAGING | 679 |
| PP3 | Belgers, S. et al. | DEGRADATION OF BIOLOGICAL POTENCY IN LED LIGHT SOURCES WITH LIFETIME | 689 |
| PP6 | Bellia, L. et al. | DOES LIGHT AFFECT FUNGAL GROWTH? EXPERIMENTAL ANALYSIS UNDER MONOCHROMATIC LED SOURCES | 697 |
| PP18 | Osumi, M. | SPARKLE AND GRAININESS INDEX MEASUREMENT OF METALLIC COATINGS WITH MATTING AGENT | 706 |
| PS2 Presented Posters (D3/D1/D6) | | | |
| PP4 | Sawyer, A., Chamilothoni, K. | THE IMPACT OF COLOUR AND SIMULATION DETAIL ON SUBJECTIVE IMPRESSIONS OF RENDERED SCENES IN IMMERSIVE VIRTUAL REALITY | 716 |
| PP17 | Oe, Y. et al. | EVALUATION STRUCTURE ON PREFERENCE OF PAINTING'S APPEARANCE IN MUSEUM LIGHTING | 727 |
| PP25 | Sokol, N. et al. | TRAINING ON SUSTAINABLE DAYLIGHTING: THE NLITED PROJECT | 735 |
| PP26 | Tang, B. et al. | THE INFLUENCE OF THE CONTENTS OF DYNAMIC WINDOW VIEW ON THE HEALING EFFECT OF PEOPLE IN ISOLATED, CONFINED AND EXTREME ENVIRONMENT | 745 |
| PP29 | Zhang, S. et al. | ENERGY SAVING WITHOUT COMPROMISING HUMAN COMFORT: A FIELD STUDY OF SMART LIGHTING IN OFFICE | 755 |
| PS3 Presented Posters (D2/D4) | | | |
| PP20 | Saint-Jacques, E. et al. | INVESTIGATING THE EVOLUTION OF ROAD SURFACE DESCRIPTORS ACCORDING TO OBSERVATION ANGLES USING A DATABASE OF THE REFLECTION PROPERTIES OF URBAN MATERIALS | 765 |
| PP22 | Schulze, C. | CHARACTERISATION OF ROAD REFLECTION IN RELATION TO VEHICLE HEADLAMP ILLUMINATION | 775 |
| PP5 | Ferrero, A. et al. | PRELIMINARY STUDY FOR TRACEABILITY ON SPECULAR GLOSS | 783 |
| PP8 | Gevaux, L. et al. | METHOD FOR TRACEABILITY OF MULTISCALE BIDIRECTIONAL REFLECTANCE DISTRIBUTION FUNCTION MEASUREMENTS | 793 |
| PP10 | Hegedüs, J. et al. | LED LIFETIME TESTS FOR CIRCUIT SIMULATION MODELLING | 803 |

PAPERS PART 2

| Posters | | | |
|------------------|-------------------------------|--|----------|
| Poster session 1 | | | |
| Paper No. | Author(s) | Title of paper | Page No. |
| PO02 | Asarasri, S. et al. | THE EFFECT OF VARIOUS LED LIGHT HUES AND COLOR SATURATION ON STRESS MITIGATION FOR OFFICE WORKERS: AN EXPERIMENTAL STUDY | 815 |
| PO27 | Miller, N. | TEMPORAL LIGHT MODULATION ("FLICKER"): A SET OF WAVEFORM AND METRIC TARGETS FOR INDUSTRY DISCUSSION | 822 |
| PO28 | Or, K. H. | INDIVIDUAL DIMENSIONS OF HUMAN-CENTERIC LIGHTING | 832 |
| PO34 | Sarti, B. et al. | SIMPLIFYING THE COLOUR RENDERING INDEX | 836 |
| PO40 | Takase, K., Hara, N. | BCD LUMINANCE ESTIMATION MODEL REFLECTING OPTICAL AND RECEPTIVE FIELD CHARACTERISTICS OF VISION | 846 |
| PO47 | Araiza, D. et al. | DYNAMIC LIGHTING CONTROL FOR ENERGY SAVINGS BASED ON JUST NOTICEABLE DIFFERENCE EXPERIMENT FOR MUSEUMS AND RETAIL | 855 |
| PO74 | Hill, A., Triantafyllidis, G. | EVALUATION OF EMOTIONS INDUCED BY BIOPHILIC LIGHTING PATTERNS USING EEG AND QUALITATIVE METHODS | 864 |
| PO95 | Durmus, D. | QUANTIFYING THE BRIGHTNESS OF CHROMATIC LIGHTING IN A WIDE FIELD OF VIEW | 874 |
| PO97 | Dusek, D. et al. | EVALUATION OF LIGHT DISTURBANCE SOURCES AND THEIR EFFECT ON HUMAN VISION | 882 |
| PO107 | Mazur, S., Hovis, J. | COLOUR VISION DEFICIENCIES IN THE DIGITAL TIME: A SURVEY OF USER EXPERIENCES WITH MODIFICATIONS TO AID THEIR COLOUR DISCRIMINATION | 891 |
| PO114 | Kang, H. et al. | PHANTOM ARRAY VISIBILITY ACCORDING TO SPECTRAL DISTRIBUTION | 901 |
| PO122 | Melgosa, M. et al. | USING MUNSELL SOIL-COLOUR CHARTS ON MARS AND EARTH | 906 |
| PO126 | Nagy, B. V. et al. | DARK ADAPTATION MODELING | 915 |
| PO131 | Pechová, M., Vík, M. | COLOR DISCRIMINATION AT LOW ADAPTATION LUMINANCE | 922 |
| PO135 | Raza, A. et al. | PROTOCOL TO SIMULATE AND EVALUATE SUNGLASS FILTERED COLOUR VISION THROUGH IMAGE COLOUR APPEARANCE MODELS | 931 |
| PO146 | Urbin, A. | OBSERVATION OF ADAPTED WHITE UNDER DIFFERENT STATES OF CHROMATIC ADAPTATION | 941 |
| PO148 | Vík, M., Víková, M. | STUDY OF INTER-INSTRUMENT AGREEMENT IN WHITENESS MEASUREMENTS | 948 |
| PO149 | Víková, M., Vík, M. | STUDY OF EXPOSURE CONDITION WITH RELATION TO COLOR CHANGE OF PHOTOCHROMIC SUBSTRATES | 955 |
| PO170 | Lee, C.-S., Kang, H. | AN ANALYTIC APPROACH TO THE VISIBILITY MODEL OF THE PHANTOM ARRAY EFFECT | 960 |
| PO178 | Bustamante, P. et al. | DAYLIGHT SPECTRUM INDEX: MEASURING THE DAYLIGHTING AFFINITY OF ELECTRIC LIGHTS | 964 |
| PO09 | Dotreppe, G. M. et al. | ANGULAR DEPENDENCY OF THE LIMITING PHOTOMETRIC DISTANCE | 979 |
| PO10 | Dumortier, D. et al. | LIGHTMONITOR: A NEW WEARABLE DEVICE MEASURING LIGHT SPECTRUM AND DAY/NIGHT ACTIVITY | 990 |
| PO30 | Pan, J. et al. | RESEARCH ON THE DETERMINATION OF THE REFERENCE IN MEASUREMENT OF THE OPTICAL FIELD OF NED | 996 |
| PO33 | Sáez, A. M. et al. | FRAMEWORK FOR EVALUATION OF PROCEDURES FOR HDR LUMINANCE IMAGING MEASUREMENTS | 1004 |

| | | | |
|-------|--------------------------------|--|------|
| PO35 | Scums, D. | PRECISION APPROXIMATION OF CIE 1931 COLOR-MATCHING FUNCTIONS BY ANALYTIC FUNCTIONS | 1014 |
| PO41 | van Duijnhoven, J. et al. | ILLUMINANCE READINGS FROM THIRTEEN SMARTPHONES: MEASUREMENT ACCURACIES AND APPLICABILITY | 1020 |
| PO44 | Zhang, B. et al. | RESEARCH ON THE BRIGHTNESS LIMIT OF MEDIA FACADE IN MIXED COMMERCIAL AND RESIDENTIAL STREETS | 1030 |
| PO45 | Zong, Y. et al. | NEW GENERATION OF REFERENCE PHOTOMETERS FOR REDUCED UNCERTAINTY | 1039 |
| PO50 | Cho, Y. et al. | TONE-MAPPING REQUIREMENTS IN REAL-TIME VIDEOS FOR STUDYING THE DYNAMISM OF VIEWS-OUT IN VIRTUAL REALITY | 1049 |
| PO57 | Poppe, A. et al. | IMPLEMENTATION OF A HIGH-SPEED LED CHARACTERISATION SYSTEM | 1060 |
| PO65 | Novák, F. et al. | USING A LUMINANCE ANALYSER TO MEASURE THE LUMINANCE OF CELESTIAL BODIES DURING ECLIPSES AND OTHER ASTRONOMICAL MEASUREMENTS | 1070 |
| PO69 | Štampfl, V., Ahtik, J. | INFLUENCE OF PHOTOGRAPHIC LIGHT-SHAPING ATTACHMENTS ON COLOUR PROPERTIES OF THE ORIGINAL LIGHT SOURCE | 1081 |
| PO70 | Ding, Y. et al. | SURFACE FACTORS AFFECTING THE MORPHOLOGY OF NIGHT SKY LIGHT POLLUTION IN PRAIRIE TOWNS | 1091 |
| PO79 | Aguilar-Carrasco, M. T. et al. | A FIRST APPROACH TO A PREDICTIVE MODEL OF THE SKY SPECTRAL POWER DISTRIBUTION IN THE MEDITERRANEAN AREA | 1102 |
| PO82 | Audenaert, J. et al. | THE UGR CORRECTION FACTOR: A CASE STUDY | 1114 |
| PO88 | Bouillot, E. et al. | A NEW BRDF MODEL FOR IN-SITU OPTICAL AND THERMICAL MATERIAL CHARACTERIZATION | 1121 |
| PO90 | Hsu, S.-W. et al. | CURVE FITTINGS OF SPECTRAL RADIANCES OF R, G, AND B MINI-LED SAMPLES MEASURED BY A 2D-SPECTRORADIOMETER | 1131 |
| PO91 | Dahlmann-Noor, A. et al. | MEASURING THE VISUAL ENVIRONMENT OF CHILDREN AND YOUNG PEOPLE AT RISK OF MYOPIA: A SCOPING REVIEW – INITIAL FINDINGS | 1137 |
| PO94 | Su, X. et al. | URBAN ARTIFICIAL LIGHT SPECTRUM DISTRIBUTION MODEL OVER NIGHT SKY | 1154 |
| PO96 | Dury, M. | AN ASSESSMENT OF TWENTY YEARS OF TRAP DETECTOR ABSOLUTE RESPONSIVITY MEASUREMENTS | 1163 |
| PO103 | Lipák, G. et al. | MODELLING THE SPECTRAL POWER DISTRIBUTION OF MONOCHROMATIC AND PHOSPHOR-CONVERTED POWER LEDS | 1168 |
| PO113 | Ivanescu, L. et al. | SPECTRORADIOMETER CALIBRATION WITH UAV-BORNE LED | 1178 |
| PO118 | Alpaslan Kösemen, Z. et al. | UNCERTAINTY EVALUATION OF HORTICULTURAL LEDs AND MONTE CARLO SIMULATION APPROACH | 1186 |
| PO125 | Murayama, E. et al. | IMPACT OF DAYLIGHT CHANGES ON PSYCHOLOGICAL AND PHYSIOLOGICAL ASPECTS OF RESIDENTS IN AN APARTMENT BUILDING | 1191 |
| PO127 | Nikanenka, S. et al. | PROBLEMS OF MODERN LED LIGHT SOURCES PHOTOMETRIC MEASUREMENTS | 1199 |
| PO133 | Pizág, B., Nagy, B. V. | INVESTIGATING THE FRAME ASSEMBLY ISSUES OF NEAR-FIELD GONIOPHOTOMETERS USING A VIRTUAL INSTRUMENT AND THE MONTE CARLO METHOD | 1204 |
| PO134 | Quiroga, M. E., Quiroga, M. A. | INNOVATIVE DEVICE TO VERIFY AND/OR CALIBRATE LUXMETERS (LIGHT METERS) | 1210 |

| | | | |
|-------------------------|----------------------------------|--|------|
| PO138 | Shichi, W. et al. | A DEVELOPMENT OF MICRO-PRISM ARRAYS ACHIEVING IMAGE PROJECTION BY PRINCIPLE OF LIGHTING: OPTICAL DESIGN AND NUMERICAL ESTIMATION OF LIGHTING PERFORMANCE | 1219 |
| PO139 | Slembrouck, N. et al. | SNAPSHOT AND LINESCAN HYPERSPECTRAL IMAGING FOR VISUAL APPEARANCE MEASUREMENTS | 1227 |
| PO144 | Toyota, T. et al. | A DEVELOPMENT OF MICRO-PRISM ARRAYS FOR IMAGE PROJECTION USING PRINCIPLE OF LIGHTING OPTICS: FEASIBILITY STUDY OF THE IMPLEMENTATION | 1237 |
| PO153 | Xia, L. et al. | CALIBRATE THE ABSOLUTE LUMINANCE OF HDR PANORAMAS USING A REGULAR TETRAHEDRON ILLUMINANCE METER | 1244 |
| PO03 | Bellia, L. et al. | CORRELATING PHOTOPIC AND MELANOPIC REFLECTANCE TO SURFACE COLOUR ATTRIBUTES FOR INDOOR ENVIRONMENTS DESIGN | 1249 |
| PO06 | de Groot, S. et al. | A SIMULATION-BASED METHOD TO QUANTIFY DAYLIGHT EXPOSURE AND ITS EFFECT ON THE ONSET OF MYOPIA IN PRIMARY SCHOOL CHILDREN | 1259 |
| PO11 | Durmus, D. et al. | CALCULATING SPATIAL EFFICIENCY TO QUANTIFY INDOOR LIGHTING SUSTAINABILITY | 1267 |
| PO16 | Godoy Daltrozo, J. et al. | LIGHTING EDUCATION: A COMPARISON OF BRAZILIAN AND ITALIAN CONTEXT | 1272 |
| PO17 | Cao, Y. et al. | EMULATING DAYLIGHT IN A NEONATAL INTENSIVE CARE UNIT WITH A NOVEL SPECTRALLY TUNABLE LIGHTING SYSTEM | 1282 |
| PO18 | Hong, L. et al. | WINDOW-VIEW-RECOGNITION BASED ACCEPTABLE DYNAMIC DAYLIGHTING OF RESIDENCE | 1297 |
| PO20 | Ito, D., Ohki, C. | PROPOSAL FOR A METHOD OF EVALUATING CONTRAST GLARE AND SATURATION GLARE IN DAYLIT INTERIORS USING VERTICAL ILLUMINANCE AT THE EYE | 1307 |
| PO23 | Zhao, C., Lin, Y. | THE EFFECT OF INDOOR LIGHTING ON HUMAN PSYCHOLOGY AND PHYSICAL ACTIVITY DURING COVID-19 LOCKDOWN: A SURVEY | 1313 |
| Poster session 2 | | | |
| PO130 | Or, K. H. | THE SAME LIGHT, DIFFERENT EFFECTS AT THE SAME TIME: POSITIVE AND NEGATIVE EFFECTS OF THE VISIBLE LIGHT ON THE RETINA | 1319 |
| PO60 | Legrand, B., Labayrade, R. | COLORIMETRIC CALIBRATION BETWEEN RGB AND LMSR SPACES | 1322 |
| PO137 | Scums, D. | ON THE QUESTION OF THE UNCERTAINTY OF CIE 1931 COLOR-MATCHING FUNCTIONS | 1332 |
| PO26 | Miller, N. | A CASE STUDY OF TUNABLE WHITE LED LIGHTING WITH NETWORKED LIGHTING CONTROLS | 1337 |
| PO36 | Shao, R. et al. | STUDY OF DAYLIGHT HEALING FOR LONG-TERM QUARANTINED OCCUPANTS DURING THE COVID-19 PANDEMIC | 1345 |
| PO37 | Shinohara, N. et al. | EFFECTS OF LIGHT WITH THE SAME CORRELATED COLOUR TEMPERATURE BUT DIFFERENT COLOUR OF APPEARANCE ON THE IMPRESSION OF A SPACE | 1354 |
| PO42 | Wu, Y. et al. | SIMULATION OF ENERGY CONSUMPTION IN BUILDINGS WITH SMART BLINDS | 1360 |
| PO48 | Campano, M. A. et al. | OFFICE LIGHTING SMART CONTROLS BASED ON USER REQUIREMENTS | 1367 |
| PO49 | Sekeff Castro, A. A., Amorim, C. | METRICS AND MONITORING OF THE NON-VISUAL EFFECTS OF LIGHT INDOORS: A SYSTEMATIC REVIEW | 1377 |
| PO55 | Biju, P. et al. | A PILOT TEST OF DAYLIGHTING AND ELECTRIC LIGHTING TO ADDRESS VISUAL AND NON-VISUAL REQUIREMENTS | 1388 |

| | | | |
|-------|-----------------------|--|------|
| PO62 | Liu, K. et al. | RESEARCH ON THE EVALUATION METHOD OF SPATIAL BRIGHTNESS FOR CLASSROOM LIGHTING ENVIRONMENTS | 1397 |
| PO64 | Nomura, A. et al. | INFLUENCE OF INDIVIDUAL'S LIGHT ENVIRONMENT EXPERIENCES ON SELECT OF SEAT AND LIGHTING SUITABLE FOR EACH TASK IN ACTIVITY BASED WORKING | 1410 |
| PO67 | Sabet, P. et al. | THE EFFECTS OF URBAN MORPHOLOGY ON WINDOW VIEW | 1418 |
| PO71 | Su, H. et al. | IMPACT OF NATURAL LIGHT PENETRATION ON OCCUPANTS IN UNDERGROUND SPACE: AN FIELD QUASI-EXPERIMENT STUDY | 1429 |
| PO75 | Umemiya, N. et al. | CHARACTERISTICS OF LIGHT EVALUATION BY ELDERLY PEOPLE UNDER HIGHLY ILLUMINATED ENVIRONMENTS | 1436 |
| PO78 | Ohki, C. et al. | EVALUATION STRUCTURE OF VISUAL ENVIRONMENT CAUSED BY WINDOWS: RELATIONSHIP BETWEEN VIEW AND DAYLIGHTING | 1444 |
| PO80 | Akuzawa, Y. et al. | REPRODUCTION OF DAYLIT ENVIRONMENT IN WORKSPACES USING LED LIGHTING: VERIFICATION OF THE INFLUENCE OF VIEW FROM A WINDOW | 1454 |
| PO81 | Arano, K. et al. | VIEW EVALUATION INDEX USING VISIBLE VOLUME IN OFFICE BUILDINGS | 1462 |
| PO89 | Budoh, Y. et al. | CAUSAL CONNECTION BETWEEN PSYCHOLOGICAL VIEW AND DAYLIGHTING EVALUATION IN LIVING SPACES | 1472 |
| PO92 | Dai, S. et al. | A STUDY OF THE EFFECTS OF ARTIFICIAL LIGHTING COLOURS ON OCCUPANTS' SPATIAL PERCEPTION AND CARDIAC RESPONSES | 1480 |
| PO93 | de Kok, V. et al. | (DAY)LIGHTING CONDITIONS IN DUTCH HOME OFFICE SPACES – A FIRST INVENTORY | 1487 |
| PO98 | Fujiwara, Y. et al. | VALIDATION OF THE EFFECTIVENESS OF MINDFULNESS CONTENT WITH LED PANEL LIGHT FOR HOME | 1497 |
| PO104 | Hemphälä, H. et al. | CAN INACCURATE POWER IN SPECTACLES AFFECT VISUAL ABILITY AND CAUSE EYESTRAIN WHEN WORKING NIGHTS IN AMBER LED LIGHTING? | 1508 |
| PO105 | Hiller, C. et al. | THE PERCEPTION OF LIGHT COLOUR IS RELATIVE – A PILOT STUDY DESCRIBING PERCEIVED LIGHT COLOUR | 1513 |
| PO109 | Inoue, S. et al. | NEUROPHYSIOLOGY-BASED EVALUATION METHOD IN LIGHTING ENVIRONMENT FOR BRIGHTNESS PERCEPTION OF SIMPLE TARGETS | 1523 |
| PO115 | Kato, Y. et al. | A STUDY ON RELAXATION AND REFRESHMENT DURING SELF-SEAT BREAKS IN OFFICES | 1534 |
| PO116 | Kato, M. | INFLUENCE OF SPATIAL AVERAGE LUMINANCE RANGE AND EVALUATION TECHNIQUE ON PERCEIVED SPATIAL BRIGHTNESS | 1541 |
| PO121 | li, J. et al. | THE COMPREHENSIVE STUDY OF INTEGRATIVE LIGHTING ON THE PERFORMANCE, ALERTNESS, MOOD, AND EYESTRAIN OF SCHOOL CHILDREN | 1546 |
| PO123 | Mochizuki, E. et al. | LIGHTING ENVIRONMENT DURING BREAKS WHEN WORKING FROM HOME | 1554 |
| PO128 | Nishihara, S. et al. | SPACIOUSNESS EVALUATION DEVIATION CAUSED BY BRIGHTNESS DIFFERENCES BETWEEN REFERENCE AND COMPARATIVE CONDITIONS IN THE MAGNITUDE ESTIMATION METHOD | 1561 |
| PO129 | Okuda, S. et al. | PREFERRED LIGHTING FOR UKIYO-E, JAPANESE WOODBLOCK PRINT PAINTINGS | 1569 |
| PO136 | Sagawa, M. et al. | REFLECTED GLARE ON MUSEUM EXHIBITS WITH DISPLAY CASES: AN EXAMINATION OF A GLARE PREDICTION METHOD BASED ON LUMINANCE DISTRIBUTION | 1577 |
| PO140 | Sousa, J., Amorim, C. | LIGHTING EDUCATION: ANALYSIS OF THE INTERNATIONAL PANORAMA THROUGH A SYSTEMATIC LITERATURE REVIEW | 1587 |

| | | | |
|-------|-----------------------------|--|------|
| PO142 | Suzuki, N. et al. | FUNDAMENTAL STUDY OF METHODS FOR PREDICTION OF THE BRIGHTNESS OF VISUAL OBJECT BY USING THE STANDARD DEVIATION OF LUMINANCE LOGARITHM | 1598 |
| PO145 | Ueno, S. et al. | ACHIEVING ENERGY SAVINGS AND STIMULATING COMMUNICATION IN OFFICE SPACES USING TASK AMBIENT LIGHTING | 1608 |
| PO152 | Wendin, K. et al. | PERCEPTION OF LIGHT QUALITIES – A DESIGNED STUDY ON LIGHT SOURCES IN COMBINATIONS | 1618 |
| PO154 | Xiang, L. et al. | REPRODUCTION OF DAYLIGHTING BY LED LUMINAIRES SIMULATING ILLUMINANCE AND CORRELATED COLOUR TEMPERATURE FLUCTUATION: VERIFICATION OF PHYSIOLOGICAL AND PSYCHOLOGICAL STRESS | 1628 |
| PO157 | Yu, H. et al. | PSYCHOLOGICAL AND PHYSIOLOGICAL ANALYSIS ON THE EFFECT OF PEACEFULNESS OF MIZUKAGE VIDEOS | 1638 |
| PO159 | Zhao, X. et al. | IMPACTS OF LED TEMPORALLY MODULATED LIGHT ON ATMOSPHERE PERCEPTION | 1645 |
| PO161 | Aliparast, S., Onaygil, S. | AN ENERGY EFFICIENT HUMAN CENTERED LIGHTING FOR OPEN PLAN OFFICES WITH COMFORT CRITERIA | 1654 |
| PO168 | Horiuchi, Y. et al. | IMAGE PHOTOMETRY FOR EVALUATING LIGHTING ENVIRONMENTS: IMPROVEMENT IN SPEED AND ACCURACY BY USING RAW FORMAT PHOTO DATA | 1661 |
| PO171 | Marjamäki, L., Juslén, H. | THE CARBON FOOTPRINT OF LIGHTING RENOVATIONS OVER A TEN-YEAR USAGE PERIOD IN THE EU REGION | 1670 |
| PO01 | Nilsson Tengelin, M. et al. | ACCURATE MEASUREMENT OF DRIVERS' REACTION TIMES IN THREE DIFFERENT ROAD LIGHTING SETTINGS | 1680 |
| PO04 | Belloni, E. et al. | A POWER-EFFICIENT SMART LASER-PHOTOLUMINESCENT-LIGHT (LPL) WITH PV-SYSTEM INTEGRATION: EXPERIMENTAL ANALYSIS AND OPTIMIZATION FOR PEDESTRIAN ROADS | 1686 |
| PO08 | Cruz Sanchez, R. Y. et al. | DAYLIGHTING UNDER SKY CONDITIONS IN AN URBAN AREA | 1696 |
| PO13 | Balela, M. et al. | USING A CASE-CONTROL METHOD TO EXPLORE THE IMPACT OF LIGHTING ON CYCLE RATES: INVESTIGATING THE CHOICE OF CASE AND CONTROL TIME PERIODS | 1704 |
| PO14 | Yesiltepe, D. et al. | DARKNESS IS A GREATER DETERRENT TO CYCLING IN SUBURBAN THAN IN CITY CENTRE LOCATIONS | 1712 |
| PO19 | Ingi, D. et al. | PUBLIC PARTICIPATION GEOGRAPHIC INFORMATION SYSTEM AS A TOOL FOR OUTDOOR LIGHTING STUDIES | 1723 |
| PO21 | Jägerbrand, A. et al. | ASSESSING THE USE OF ENVIRONMENTAL LIGHTING ZONES FOR THE PROTECTION OF AQUATIC NATURE CONSERVATION AREAS | 1731 |
| PO31 | Pihlajaniemi, H. et al. | MEASURING DARKNESS FOR SAFE AND SUSTAINABLE EXPERIENCES IN NORTHERN CITIES | 1739 |
| PO46 | Akizuki, Y. et al. | APPLICATION OF NIGHT-TIME LANDSCAPE LIGHTING TO DISASTER PREVENTION | 1749 |
| PO51 | Di Lecce, P. et al. | A PROPOSAL OF EXTENSION OF DYNAMIC ADAPTIVE ROAD LIGHTING CONCEPT THROUGH A REAL CASE STUDY | 1758 |
| PO53 | Gorjimahlabani, S. et al. | MEASURING PEDESTRIAN REASSURANCE: COMPARING EVALUATIONS GIVEN BY SOLO PEDESTRIANS AND ACCOMPANIED GROUPS | 1768 |
| PO56 | Green, W. et al. | REDUCING STRAY LIGHT IN OUTDOOR LUMINAIRES | 1775 |
| PO59 | Iacomussi, P. et al. | ERRORS IN GONIOPHOTOMETRIC CHARACTERISATION OF SURFACES | 1786 |
| PO63 | Miyamoto, K. et al. | ROAD SURFACE REFLECTION CHARACTERISTICS OF PERMEABLE PAVEMENT USED FOR EXPRESSWAYS IN JAPAN | 1793 |

| | | | |
|-------|-----------------------|---|------|
| PO73 | Talon, D. et al. | LED LIGHTING IN ROAD TUNNELS: SIMULATION OF ENERGY-EFFICIENT ADAPTIVE LIGHTING SCENARIOS | 1803 |
| PO85 | Bieske, K. et al. | HEADLAMPS FOR WORKING OUTDOORS IN THE DARK | 1811 |
| PO87 | Boucher, V. et al. | MATHEMATICAL CONSIDERATIONS FOR ROAD REFLECTION PROPERTIES | 1821 |
| PO108 | Ikedo, Y. et al. | LIGHTING CONDITIONS FOR THE VISIBILITY OF OBJECTS ON THE ROAD SURFACE DURING TUNNEL DRIVING | 1829 |
| PO111 | Maehama, T. et al. | EVALUATION OF DISCOMFORT GLARE IN ROAD LIGHTING USING FIXED LOW MOUNTING HEIGHT LUMINAIRES | 1836 |
| PO117 | Kohko, S. et al. | VISIBILITY TO DRIVERS OF PEDESTRIANS CROSSING A ROAD WITH A PRO-BEAM ROADWAY LIGHTING SYSTEM | 1846 |
| PO143 | Takahashi, Y. et al. | PROPOSAL OF MAINTENANCE MANAGEMENT METHOD FOR ROAD LIGHTING FACILITIES USING UNMANNED AERIAL VEHICLES | 1855 |
| PO147 | Valetti, L. et al. | AN EXPLORATORY STUDY TO ASSESS OUTDOOR LIGHTING IN URBAN CONTEXTS CONSIDERING IMPLICATIONS ON HUMAN HEALTH AND WELLBEING | 1864 |
| PO158 | Zang, F. et al. | RESEARCH ON THE DEVELOPMENT PATH OF KEY TECHNOLOGIES BASED ON SMART LIGHT POLE SYSTEM | 1874 |
| PO162 | Chasseigne, R. et al. | AIRBORNE LUMINANCE METER FOR OBTRUSIVE LIGHT MEASUREMENTS | 1888 |
| PO165 | Erturk, E. et al. | THE IMPACT OF LIGHT AND DARK ON CRIME IN LONDON | 1893 |
| PO173 | Sagane, Y. et al. | VISIBILITY PERFORMANCE OF LOW POSITION ROAD LIGHTING SYSTEM | 1896 |
| PO07 | Chen, Y. S. et al. | USING DYNAMIC LIGHT TO REGULATE SLOW OSCILLATIONS OF BRAIN TO IMPROVE SLOW WAVE SLEEP AND MEMORY CONSOLIDATION | 1906 |
| PO106 | Hou, D. et al. | VALIDATION OF DIURNAL CIRCADIAN LIGHTING ACCUMULATION MODEL BASED ON A LIGHT HABIT SURVEY OF 448 CHINESE PARTICIPANTS | 1910 |
| PO124 | Motyčka, M. et al. | THE MEASUREMENT UNCERTAINTY OF THE IMAGING LUMINANCE MEASUREMENT DEVICES | 1917 |
| PO156 | Wei, H. Y. et al. | STUDY ON THE INFLUENCE OF LOW ILLUMINANCE LIGHTING ENVIRONMENT ON VISUAL AND COGNITIVE FUNCTION OF MULTIPLAYER ONLINE BATTLE ARENA GAMERS | 1927 |
| PO163 | Coosemans, J. et al. | TIME-SEQUENTIAL RGB IMAGING WITH A MULTISPECTRAL ILLUMINATION SOURCE AND A GATED CMOS CAMERA | 1937 |
| PO174 | Tanaka, M. et al. | MODELLING OF PERCEPTUAL GLOSS UNDER MIXED LIGHTING CONDITIONS | 1946 |
| PO05 | Beltran, L. | ANNUAL DAYLIGHTING PERFORMANCE OF AN INNOVATIVE, EFFICIENT, FULL-SCALE HORIZONTAL LIGHT PIPE | 1953 |